

SPECIFICATION FOR DRIZIT® MAINTENANCE BOOMS

A Martin

	0305/3	0305/4	0312/3	0312/4
Size	12.5cm dia x 3m	12.5cm dia x 4m	20cm dia x 3m	20cm dia x 4m
Colour	Grey	Grey	Grey	Grey
Pack Quantity	4	4	2	2
Pack Wt (gross)	16.0 kg	21.1 kg	15.8 kg	20.9 kg
Pack Size	70 x 55 x 35 cm	90 x 70 x 30 cm	70 x 55 x 40 cm	95 x 70 x 30 cm
Sorbency (pack)	80 - 125 litres	81 - 140 litres	78 - 120 litres	102 - 160 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using water. Higher figure based on high viscosity liquid with no drain.

Outer Casing:	100% polypropylene spun-bonded Tensile strength (mean): 400N (200mm strip/EN ISO 10319) High UV resistance
Filler:	Natural and/or synthetic fibre
Fitted with:	6mm UV stabilized polypropylene rope along length, with 100cm tails for fixing Polypropylene webbing tapes for positive close joint
Pack Type:	Bag
Compatibility:	May be safely used with all aqueous solutions and liquids immiscible with water, such as hydrocarbons, solvents, mineral oils, <i>with the exception of strong oxidising agents.</i> Before any use in a spill situation a proper risk assessment should be carried out and all hazardous properties of the liquid or dangerous reactions taken into account.
Fire Resistance:	Good. (Physically flame-retardant)
	Incinerable to zero ash.
Disposal:	Used sorbents may be disposed of by landfill or incineration, in accordance with local and national regulations, taking into account the classification of the liquid absorbed.
Safety Data:	Refer to our Safety Data Sheet.
	This product is non-toxic to users and to aquatic life.
	Further technical advice is available if required.
Note:	All weights, dimensions, and other figures quoted are approximate.

Revision Date: 06/11/2018



