

SPECIFICATION FOR DRIZIT® ULTRA CHEMICAL SPLIT ROLLS



	SRY39DL001BX
Size	33cm x 15m
Perforations	Across every 33cm Along at 10cm and 23cm
Colour	Yellow
Pack Quantity	1
Pack Wt (gross)	2.0 kg
Pack Size	48 x 15 x 49 cm
Sorbency (pack)	18 - 35 litres

Sorbency: Lower figure test method to BS 7959-1:2004 using water. Higher figure based on high viscosity liquid with no drain.

Composition: >99.5% Polypropylene, <0.5% dye
Meltblown, ultrasonically bonded, spunbond laminated on two sides

Basis Wt: 17gsm spunbond, 360gsm meltblown, 17gsm spunbond

Pack Type: Box

Compatibility: May be safely used with all aqueous solutions and liquids immiscible with water, such as hydrocarbons, solvents, mineral oils, **with the exception of strong oxidising agents.**
Before any use in a spill situation a proper risk assessment should be carried out and all hazardous properties of the liquid or dangerous reactions taken into account.

Fire Resistance: Good. (Physically flame-retardant)
Incinerable to zero ash.

Disposal: Used sorbents may be disposed of by landfill or incineration, in accordance with local and national regulations, taking into account the classification of the liquid absorbed.

Safety Data: Refer to our Safety Data Sheet.
This product is non-toxic to users and to aquatic life.
Further technical advice is available if required.

Note: All weights, dimensions, and other figures quoted are approximate.

Revision Date: 06/11/2018